Straight drills

STRAIGHT DRILLS - Lever start - ERG series

WATT: 150

Data sheet

ERG66D



Description

The OBER drilling range has straight drills, gun drills and angle drills for all applications. The semi-automatic units are ideal for drilling and boring work stations and transfer stations.
OBER portable drills provide the best possible combination of ergonomics and safety. Designed specifically for industrial applications, OBER drills are light to handle and easy to use. They ensure high-performance drilling, increased productivity and reduced operator fatigue.
Reversible versions are available. The twin direction of rotation enables combined drilling operations.

Technical specification

Model	ERG66D
Code	8200571
No-load speed - rpm/min	2550
Drilling steel - Ø mm	6
Length - mm	230
Body - ø mm	41
Weight - Kg	1
Air Connection	1/4” GAS
Air consumption - Nl/min	260
dB (A)	82
Hose - ø min mm	6

Straight drills


STRAIGHT DRILLS - Lever start - ERG series

WATT: 150

Data sheet

ERG66D

Overall dimensions



Straight drills

STRAIGHT DRILLS - Lever start - ERG series

WATT: 150

Data sheet

ERG88D



Description

The OBER drilling range has straight drills, gun drills and angle drills for all applications. The semi-automatic units are ideal for drilling and boring work stations and transfer stations.
OBER portable drills provide the best possible combination of ergonomics and safety. Designed specifically for industrial applications, OBER drills are light to handle and easy to use. They ensure high-performance drilling, increased productivity and reduced operator fatigue.
Reversible versions are available. The twin direction of rotation enables combined drilling operations.

Technical specification

Model	ERG88D
Code	8200572
No-load speed - rpm/min	1000
Drilling steel - Ø mm	8
Length - mm	260
Body - ø mm	41
Weight - Kg	1
Air Connection	1/4” GAS
Air consumption - Nl/min	260
dB (A)	82
Hose - ø min mm	6

Straight drills


STRAIGHT DRILLS - Lever start - ERG series

WATT: 150

Data sheet

ERG88D

Overall dimensions



Straight drills

STRAIGHT DRILLS - Lever start - ERG series

WATT: 150

Data sheet

ERG100D



Description

The OBER drilling range has straight drills, gun drills and angle drills for all applications. The semi-automatic units are ideal for drilling and boring work stations and transfer stations.
OBER portable drills provide the best possible combination of ergonomics and safety. Designed specifically for industrial applications, OBER drills are light to handle and easy to use. They ensure high-performance drilling, increased productivity and reduced operator fatigue.
Reversible versions are available. The twin direction of rotation enables combined drilling operations.

Technical specification

Model	ERG100D
Code	8200573
No-load speed - rpm/min	560
Drilling steel - Ø mm	10
Length - mm	272
Body - ø mm	41
Weight - Kg	1
Air Connection	1/4” GAS
Air consumption - Nl/min	260
dB (A)	82
Hose - ø min mm	6

Straight drills

STRAIGHT DRILLS - Lever start - ERG series

WATT: 150

Data sheet

ERG100D

Overall dimensions

