Gun drills

GUN DRILLS - ERGON series

WATT: 300

Data sheet
ERGON66




Description

The OBER drilling range has straight drills, gun drills and angle drills for all applications. The semi-automatic units are ideal for drilling and boring work stations and transfer stations.
OBER portable drills provide the best possible combination of ergonomics and safety. Designed specifically for industrial applications, OBER drills are light to handle and easy to use. They ensure high-performance drilling, increased productivity and reduced operator fatigue.
Reversible versions are available. The twin direction of rotation enables combined drilling operations.

Technical specification

Model	ERGON66
Code	8201081
No-load speed - rpm/min	4000
Drilling steel - Ø mm	6
Length - mm	176
Body - ø mm	38
Weight - Kg	1,06
Air Connection	1/4" GAS
Air consumption - Nl/min	650
dB (A)	75
Hose - ø min mm	8

Overall dimensions



Gun drills

GUN DRILLS - ERGON series

WATT: 300

Data sheet
ERGON88




Description

The OBER drilling range has straight drills, gun drills and angle drills for all applications. The semi-automatic units are ideal for drilling and boring work stations and transfer stations.
OBER portable drills provide the best possible combination of ergonomics and safety. Designed specifically for industrial applications, OBER drills are light to handle and easy to use. They ensure high-performance drilling, increased productivity and reduced operator fatigue.
Reversible versions are available. The twin direction of rotation enables combined drilling operations.

Technical specification

Model	ERGON88
Code	8201082
No-load speed - rpm/min	2300
Drilling steel - Ø mm	8
Length - mm	192
Body - ø mm	38
Weight - Kg	1,06
Air Connection	1/4" GAS
Air consumption - Nl/min	650
dB (A)	75
Hose - ø min mm	8

Overall dimensions



Gun drills
WATT: 300

Data sheet
ERGON100V




Description
The OBER drilling range has straight drills, gun drills and angle drills for all applications. The semi-automatic units are ideal for drilling and boring work stations and transfer stations.
OBER portable drills provide the best possible combination of ergonomics and safety. Designed specifically for industrial applications, OBER drills are light to handle and easy to use. They ensure high-performance drilling, increased productivity and reduced operator fatigue.
Reversible versions are available. The twin direction of rotation enables combined drilling operations.

Technical specification

Model	ERGON100V
Code	8201089
No-load speed - rpm/min	2300
Drilling steel - Ø mm	10
Length - mm	192
Body - ø mm	38
Weight - Kg	1,14
Air Connection	1/4" GAS
Air consumption - Nl/min	650
dB (A)	75
Hose - ø min mm	8

Overall dimensions



Gun drills
WATT: 300

Data sheet
ERGON100




Description
The OBER drilling range has straight drills, gun drills and angle drills for all applications. The semi-automatic units are ideal for drilling and boring work stations and transfer stations.
OBER portable drills provide the best possible combination of ergonomics and safety. Designed specifically for industrial applications, OBER drills are light to handle and easy to use. They ensure high-performance drilling, increased productivity and reduced operator fatigue.
Reversible versions are available. The twin direction of rotation enables combined drilling operations.

Technical specification

Model	ERGON100
Code	8201083
No-load speed - rpm/min	950
Drilling steel - Ø mm	10
Length - mm	217
Body - ø mm	38
Weight - Kg	1,25
Air Connection	1/4" GAS
Air consumption - Nl/min	650
dB (A)	75
Hose - ø min mm	8

Overall dimensions



Gun drills
WATT: 300

Data sheet
ERGON130



Description
The OBER drilling range has straight drills, gun drills and angle drills for all applications. The semi-automatic units are ideal for drilling and boring work stations and transfer stations.
OBER portable drills provide the best possible combination of ergonomics and safety. Designed specifically for industrial applications, OBER drills are light to handle and easy to use. They ensure high-performance drilling, increased productivity and reduced operator fatigue.
Reversible versions are available. The twin direction of rotation enables combined drilling operations.

Technical specification

Model	ERGON130
Code	8201084
No-load speed - rpm/min	580
Drilling steel - Ø mm	13
Length - mm	246
Body - ø mm	40
Weight - Kg	1,45
Air Connection	1/4" GAS
Air consumption - Nl/min	650
dB (A)	75
Hose - ø min mm	8

Overall dimensions

